

NORTON

SAINT-GOBAIN

clipper[®]

Reshaping
your
world.

NEW BAND SAW RANGE CB311, CB511, CB651




SAINT-GOBAIN

BAND SAW RANGE

Norton Clipper offers a full range of band saws to make light work of cutting through cellular concrete, aerated fireclay blocks and other soft building materials. The range includes the CB311, CB511 and CB651 all designed with different maximum depth of cut so you can get the best results for your application.

NORTON CLIPPER CB311

CB311 is the smallest and safest band saw in the range. It is designed for dry cutting light construction blocks and offers a maximum cutting height of 310mm. Its ergonomic and compact design makes it easy to transport while its special safety handles make it extremely safe to use.

FEATURES & BENEFITS

- Dual deadman's handle to increase operator safety
- Ergonomic and compact design for an easy transportation on site
- The machine feet are stabilised to enhance operator comfort on uneven ground
- Galvanised folding table offering long life and ease of storage
- Sturdy and reliable machine requiring low maintenance
- Features a dust outlet which can be connected to a dust extractor
- Delivered with one Extreme band CB311 for enhanced performance



Ideal for aerated fired clay blocks and autoclaved aerated concrete blocks.



PRODUCT DATA

Model	CB311
Item n°	70184602677
EAN 13 Code	5450248736417
Supply voltage/Power kW (Hp)	230V ~1 / 1,1kW (1,5hp)

Band size	2950 x 27mm
Max. cutting length	660mm
Max. cutting height	310mm
Weight	132kg
Dimensions	830 x 620 x 1600mm



Safe dual deadman's handle



Can fit in small spaces



Easy to transport



Precise cut



Machine stability

BAND RECOMMENDATIONS

Item n°	Quality tier	Recommended product	Band Length
70184603100	◆◆◆◆◆	Extreme band CB311	2950mm
70184603101	◆◆◆◆◆	Pro band CB311	2950mm

NORTON CLIPPER CB511 AND CB651

CB511 and CB651 are band saws designed for dry cutting of light construction blocks.

Easy to use and needing only a 230V supply, the CB511 and CB651 feature cutting heights of 500mm and 645mm respectively.

FEATURES & BENEFITS

- A safety switch stops the blade at the end of each cut to increase operator safety
- The machines feature a lift ring, double lifting rails and wheels making it easy to move by crane, with a forklift or by hand
- Galvanised folding table offering long life and ease of storage
- Sturdy and reliable machine requiring low maintenance
- Feature a dust outlet which can be connected to a dust extractor
- Delivered with one Extreme band CB511 or CB651 for enhanced performance



Ideal for aerated fired clay blocks and autoclaved aerated concrete blocks.



PRODUCT DATA

Model	CB511	CB651
Item n°	70184694702	70184602676
EAN 13 Code	5450248692393	5450248736400
Supply voltage/Power	230V ~1 / 1,85kW (2,5hp)	230V ~1 / 1,85kW (2,5hp)
Band size	3850 x 27mm	4120 x 34mm

Model	CB511	CB651
Max. cutting length	660mm	660mm
Max. cutting height	500mm	645mm
Weight	203kg	207kg
Dimensions	1050 x 900 x 1840mm	1050 x 900 x 1980mm



Cutting guide



Precise cut



Safe to use



Machines delivered with an Extreme band

BAND RECOMMENDATIONS CB511

Item n°	Quality tier	Recommended product	Band Length
70184695024	◆◆◆◆◆	Extreme band CB511	3850mm
70184601811	◆◆◆◆	Pro band CB511	3850mm

BAND RECOMMENDATIONS CB651

Item n°	Quality tier	Recommended product	Band Length
70184603102	◆◆◆◆◆	Extreme band CB651	4120mm
70184603103	◆◆◆◆	Pro band CB651	4120mm



Saint-Gobain Abrasives
European Headquarters
Rue de l'Ambassadeur - B.P.8
78 702 Conflans Cedex
France

Tel: +33 (0)1 34 90 40 00
Fax: +33 (0)1 39 19 89 56

www.nortonabrasives.com

www.nortonabrasives.com
www.youtube.com/NortonAbrasivesEMEA

Norton is a registered trademark of Saint-Gobain Abrasives.
Form # 3401