

**NORTON**

SAINT-GOBAIN

***clipper***

Transforming  
surfaces  
...and beyond

NO COMPROMISE  
**JUST  
POWER**

Norton Clipper Battery Range

CM 350B

  
SAINT-GOBAIN



HONDA

POWER | ERROR

# THE POWERFUL NEW BATTERY RANGE

In the ever-evolving landscape of construction, traditionally used tools such as floorsaws, trowels, and compactors have relied on petrol or diesel engines. These engines, while powerful, generate noise, vibrations, and harmful exhaust fumes, thus limiting their use to outdoor applications.

However, times have changed, and today's technology allows us to overcome these constraints. Norton Clipper is excited to introduce our all-encompassing range of battery powered machines. Less noise, diminished vibrations, and no fumes at all - enhancing ergonomics, comfort, and safety.

---

## NO COMPROMISE, JUST POWER!

What's more, the brushless Honda motor guarantees consistent high performance, while also being maintenance-free. Just plug in the battery and you're ready to go!

---

## UNLEASHING INNOVATION: A COMPREHENSIVE NEW RANGE, POWERED BY A SINGLE BATTERY





# POWERFUL PERFORMANCE



## HIGH PERFORMANCE

---

Our Norton Clipper battery range features a high-performance brushless Honda motor combined with a Honda battery pack, ensuring consistent and reliable performance every time. It's always ready to tackle the job at hand.



## NO FUMES

---

Working with our battery-powered machines means saying goodbye to petrol-generated fumes. Enjoy a cleaner and safer working environment, and the freedom to work both indoors and outdoors.



## EASE OF USE

---

All our machines are equipped with a single switch operation, making start-up quick and hassle-free. Additionally, connecting and switching the battery takes just a few seconds, ensuring effortless operation.



## LOW MAINTENANCE

---

Compared to petrol engines, our battery powered engines need no fuel, no oil, and no maintenance (such as new filters, spark plugs etc) minimising downtime.



## LESS VIBRATIONS

---

Our battery-powered machines are designed to minimise vibrations\*, significantly improving operator comfort and reducing fatigue.



## NOISE REDUCTION




---

Compared to petrol engines, our battery-powered motors operate with reduced noise levels, providing a more comfortable user experience. Paired with our innovative Silencio Diamond blades, they are particularly suitable for noise-restricted areas where quiet operation is essential.

\*Based on a comparative analysis between the Norton Clipper CS352 B and the Norton Clipper CS352 Petrol Masonry Saw, controlled testing revealed that the maximum handle vibration measured on the Norton Clipper CS 352B was only 1.99m/s, compared to 5.56m/s on the Norton Clipper CS 352 Petrol.

# CM350 B

## MASONRY SAW



### FEATURES

- Robust and durable design
- Smart and ergonomic plunging head with horizontal blade guard
- Heavy duty mechanical water pump
- Adjustable folding legs and transport wheels
- Forklift pockets

### BENEFITS

- Perfect for heavy duty applications
- Comfortable step cutting and optimised material height
- Efficient water cooling of the blade
- Secure and stable operation
- Safe and easy to transport

### PRODUCT DATA

Item n° 70184632547\*

EAN 5450248821922



Motor type Electric - Honda eGX

Table size 400x460mm

Supply Voltage / Power Battery - 72V / 1,8kW (2,4 hp)

Hand Arms Vibrations 2,17m/s<sup>2</sup>

Blade x bore Ø 350 X 25,4mm

Sound power / pressure level 109 dB(A) / 104 dB(A)

Tool speed RPM 2500 tr/min

Dimensions (LxWxH) 1390x1750x1750mm

Max cutting depth 120mm

Dimensions (folded legs) 1390x1750x1250mm

Max cutting length 600mm

Weight (without battery) 122kg

Max. material height 240mm

\*Battery & Charging Unit sold separately



NORTON  
clipper

CM 350B



**FOR BEST RESULTS, USE WITH  
OUR SPECIALLY DESIGNED  
SILENCIO BATTERY BLADES**

For more information see page 18

# CS352 B

## FLOOR SAW



**20 Minutes**  
of Continuous Cutting Time

**Long Cut**  
cutting depth of 5cm

Concrete: +/-19m  
Asphalt: +/-23m

Distance will be slightly shorter with a 350mm blade (-15m)






### FEATURES

- Compact and sturdy design
- Adjustable handle height
- Removable 25L water tank
- Cutting depth adjustment with crank
- Lifting ring

### BENEFITS

- Reliable in heavy duty applications
- Comfortable and ergonomic operation
- Allows wet-cutting flexibility in isolated locations
- Quick and easy to adjust
- Easy transportation

### PRODUCT DATA

Item n°	70184632546*	 2,4HP	 1,8kW	 72v
EAN	5450248821915			
Motor type	Electric - Honda eGX	Propelling	Pushed	
Supply Voltage / Power	Battery - 72V / 1,8kW (2,4 hp)	Hand Arms Vibrations	1,99m/s <sup>2</sup>	
Blade x bore	Ø 350 X 25,4 mm	Sound power / pressure level	113 dB(A) / 96 dB(A)	
Tool speed RPM	2750 tr/min	Dimensions (LxWxH)	900x520x970mm	
Max cutting depth	115mm	Weight (without battery)	75kg	
Water tank capacity	25 L			
Raise and Lower	Manual			

\*Battery & Charging Unit sold separately



# UNLEASH THE POWER





FOR BEST RESULTS, USE WITH  
OUR SPECIALLY DESIGNED  
SILENCIO BATTERY BLADES

For more information see page 18

# CT601 B

## POWER FLOAT



### FEATURES

- Compact and sturdy design
- Adjustable rotating speed
- Mechanical blade pitch control
- Dead man's handle and blade protection guard
- Folding arm and lifting ring

### BENEFITS

- Reliable in heavy duty applications
- Adjustable speed tailored to the application
- Fine-tuned accuracy for the perfect surface finish every time
- Putting the operator first with a safety-focused design
- Easy loading and transportation

### PRODUCT DATA

Item n°	70184632582*	 2,4HP	 1,8kW	 72v
EAN	5450248822813			
Included tools	Finishing blades and pan	Pitch control	Mechanical	
Motor type	Electric - Honda eGX	Hand Arms Vibrations	<2,5m/s <sup>2</sup>	
Supply Voltage / Power	Battery - 72V / 1,8kW (2,4 hp)	Sound power / pressure level	82 dB(A) / 67 dB(A)	
Blade rotation diameter (Clockwise)	600mm	Dimensions (LxWxH)	1560x650x1060mm	
Guard ring diameter	620mm	Weight (without battery)	69kg	
Distance to wall	10mm			

\*Battery & Charging Unit sold separately





# PUTTING THE POWER IN YOUR HANDS



# CFP13 WB

## FORWARD PLATE




### FEATURES

- Robust and reliable design
- Complete with water tank and round edges plate
- 2 vibration absorber levels between plate and handle
- Folding handle, lifting ring and transport wheels
- Maintenance free exciter

### BENEFITS

- Trusted performance in heavy duty applications
- Perfect finish on asphalt repair every time
- Low hand/arm vibrations
- Compact storage and easy transportation
- User-friendly and low maintenance

### PRODUCT DATA

Item n°	70184632594*			
EAN	5450248823490	2,4HP	1,8kW	72v
Motor type	Electric - Honda eGX	Reversible	No	
Supply Voltage / Power	Battery - 72V / 1,8kW (2,4 hp)	Water tank	9 L	
Centrifugal power	13kN	Transport wheels	Included	
Static pressure	632kg/m <sup>2</sup>	Hand Arms Vibrations	2,21m/s <sup>2</sup>	
Plate size	420x550mm	Sound power	105 dB(A)	
Plate thickness	Steel - 8mm	Dimensions (LxWxH)	900x400x1050mm	
Frequency	90Hz	Weight (without battery)	87kg	
Speed	22m/min	Application	Asphalt, pavements & soils	
Max compaction depth	15-25cm	Vulkollan rubber pad	310535021 (optional)	

\*Battery & Charging Unit sold separately

# CR11 B RAMMER



**50 Minutes**  
of Continuous Compaction Time

**650 LINEAR METERS**  
650 linear meters or 160m<sup>2</sup>  
(13m/min)



## FEATURES

- Compact and sturdy design
- 3 different working speeds
- Handle mounted on vibration absorbers
- Lifting ring, transport handle and wheel
- Steel plating around the motor

## BENEFITS

- Fits heavy duty applications
- Adjustable speed tailored to the application
- Reduced hand/arm vibrations
- Easy transportation
- Shock-protection for long motor life

## PRODUCT DATA

Item n° 70184632595\*

EAN 5450248823506



2,4HP



1,8kW



72v

<b>Motor type</b>	Electric - Honda eGX	<b>Water tank</b>	No
<b>Supply Voltage / Power</b>	Battery - 72V / 1,8kW (2,4 hp)	<b>Transport wheels</b>	Included
<b>Centrifugal power</b>	11kN	<b>Hand Arms Vibrations</b>	6,5m/s <sup>2</sup>
<b>Plate size</b>	250x330mm	<b>Sound power</b>	105 dB(A)
<b>Plate thickness</b>	Steel - 6mm	<b>Dimensions (LxWxH)</b>	700x400x1150mm
<b>Frequency</b>	7,5Hz/9Hz /11Hz	<b>Weight (without battery)</b>	66kg
<b>Speed</b>	13m/min	<b>Application</b>	Granular & cohesive soils
<b>Max compaction depth</b>	40-50cm	<b>Vulkollan rubber pad</b>	-
<b>Reversible</b>	No		

\*Battery & Charging Unit sold separately



# ONE BATTERY FITS ALL



**B720**  
BATTERY

The Honda 72V lithium-ion battery works with all Norton Clipper cordless machines. The power from this battery optimises efficiency and performance consistently, comparable to petrol machines but without the noise, mess or petrol fumes.

## PRODUCT DATA

Item n° 310568970

EAN 5450248809111



Type Honda lithium ion battery

Rated capacity

10Ah

Voltage DC 72V

Dimensions (LxWxH)

233x268x150mm

Power capacity 720Wh

Weight

6,4Kg





# C700

## QUICK CHARGER

Fully charged in just 90 minutes, the LED indicator will let you know when your battery is ready to go.

### PRODUCT DATA

Item n° 310568971

EAN 5450248809128



Type Honda Quick Charger

Dimensions (LxWxH)

272x352x270mm

Voltage 230V 1~

Weight

11Kg

Charging time of B720 90min - 100%

## SUSTAINABILITY FOR NORTON CLIPPER

Sustainability is at the heart of everything we do. As a global business powered by solid brands that provide surface solutions to make the world a better home, we set strong goals to be net zero carbon by 2050, to preserve water and reduce dramatically our wastes. With our solutions we support our customers to decarbonize construction, industry and mobility, to preserve resources and our planet, and to fight climate change.



Scan the QR code to discover our commitments to sustainability.

# NO COMPROMISE ON PERFORMANCE


Get the most out of your battery-powered machines by selecting our innovative Silencio blades, engineered for use with Norton Clipper Battery machines for maximum performance and noise reduction.



CM350 B

**EXTREME**     

## EXTREME UNIVERSAL BATTERY SILENCIO



MACHINE	Ø (MM)	BORE (MM)	SEGMENT H/W (MM)	ITEM NO.	EAN
	350	25,4	15/2,8mm	70184633200	5450248834847



CS352 B

**PRO**    

## PRO BETON BATTERY SILENCIO



MACHINE	Ø (MM)	BORE (MM)	SEGMENT H/W (MM)	ITEM NO.	EAN
	300	25,4	12/2,5mm	70184632960	5450248830597
	350	25,4	12/2,5mm	70184632962	5450248830610



CS352 B

**PRO**    

## PRO ASPHALT BATTERY SILENCIO

MACHINE	Ø (MM)	BORE (MM)	SEGMENT H/W (MM)	ITEM NO.	EAN
	300	25,4	12/2,5mm	70184632961	5450248830603
	350	25,4	12/2,5mm	70184632963	5450248830627

**ONE BATTERY FITS ALL**

**CHARGE TIME**



**1.5 Hours**  
from 0% to 100%  
Recharge

**LIFE CYCLES**



**~3000 Charges**  
before any Impact  
to Performance

**COMPATIBILITY**



**Univeral Battery System**

Battery fits multiple  
Norton Clipper machines



**NO COMPROMISE, JUST POWER**



**MASONRY SAW**  
CM350 B



**FLOOR SAW**  
CS352 B



**POWER FLOAT**  
CT601 B



**FORWARD PLATE**  
CFP13 WB



**RAMMER**  
CR11 B

**BATTERY RUN TIME**



**15 Minutes**  
of Continuous Cutting Time



**20 Minutes**  
of Continuous Cutting Time



**40 Minutes**  
of Continuous Working Time



**40 Minutes**  
of Continuous Compaction Time




**50 Minutes**  
of Continuous Compaction Time

**MACHINE PERFORMANCE ON ONE CHARGE**

**60 Cuts**

of concrete floor pavers



**Long Cut**

cutting depth of 5cm



Distance will be slightly shorter  
with a 350mm blade [-15m]


**48m<sup>2</sup>**

of fresh concrete



**370m<sup>2</sup>**

of compacted surface  
(22m/min)



**650 LINEAR METERS**

650 linear meters or 160m<sup>2</sup>  
(13m/min)



# ONE BATTERY FITS ALL.



Saint-Gobain Abrasives  
251 rue de l'Ambassadeur  
78700 Conflans  
France

Tel: +33 (0)1 34 90 40 00  
Fax: +33 (0)1 39 19 89 56



WATCH NOW!

[www.nortonabrasives.com](http://www.nortonabrasives.com)  
[www.youtube.com/NortonAbrasivesEMEA](http://www.youtube.com/NortonAbrasivesEMEA)

Norton is a registered trademark of Saint-Gobain Abrasives.  
Form #4371

**SEAM**<sup>TM</sup>  
[www.seam.earth](http://www.seam.earth)